

**FAX**

**Solvay Minerals Inc.**  
**ENVIRONMENTAL DEPARTMENT**

**CONFIDENTIALITY NOTICE**

This message contains information that may be confidential and is intended only for the use of the addressee. Any disclosure, copying, distribution or use of this information by anyone else is strictly prohibited. If you have received this in error, please notify us by telephone immediately at (307) 872-6500 so that we can arrange to retrieve it at no cost to you. Thank you.

**Date** April 16, 1997

**Number of pages including cover sheet** 1

**To: Bill Stark**  
**TRC Environmental Corp.**

**From: Dolly Potter**  
**Phone 307-872-6571**  
**Fax Phone 307-872-5876**

Bill,

The pertinent information needed for you to complete a BACT analysis for controlling VOC emissions from Solvay's new calciner follows. Please determine cost per ton of control with two different scenarios of VOC emission rates as noted below. Please have the two scenarios separate, so I can submit the one we decide on.

Temperature	338 °F
ACFM	264,000
DSCFM	92,751
PPH VOC	scenario #1 @ 141 PPH, scenario #2 @ 374

Don't hesitate to contact me if you have questions. A PO # will follow shortly. If possible, I would like to have this complete by Friday, April 18.

*Dolly A. Potter*

**SOLVAY2016\_1.4\_001489**